



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider			■		■		■		■			.30	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider			■		■		■		■			.25	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider			■	■			■		■			.30	.25	.42
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider			■	■			■		■			.25	.24	.42
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■		■			.27	.19	.37
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■		■		■	.28	.18	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■		■			.23	.19	.37
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■		■		■	.24	.17	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■		■			.20	.19	.37
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■		■		■	.20	.17	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■		■			.28	.25	.43
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■		■		■	.28	.23	.39
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■		■			.24	.25	.44
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■		■		■	.24	.23	.39
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■		■			.20	.25	.44
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■		■		■	.21	.23	.39
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■		■			.30	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■		■			.26	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■		■		■	.27	.17	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■		■			.22	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■		■		■	.22	.17	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■		■			■		■			.26	.25	.43
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■		■			■		■		■	.27	.23	.38
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■		■			■		■			.22	.25	.43
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■		■			■		■		■	.23	.23	.38
Product Series 3210, WoodClad™, Ultra™ Single Hung			■		■		■		■			.30	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung			■		■		■		■			.25	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung			■	■			■		■			.30	.25	.42
Product Series 3210, WoodClad™, Ultra™ Single Hung			■	■			■		■			.25	.24	.42
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■			.27	.19	.37
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■		■	.27	.18	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■			.23	.19	.37
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■		■	.24	.17	.33

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■			■	■			.20	.19	.37
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■			■	■		■	.20	.17	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■			.27	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■		■	.28	.23	.39
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■			.24	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■		■		■	.24	.23	.39
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■			■	■			.20	.25	.44
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■			■	■		■	.21	.23	.39
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■			.30	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■			.26	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■		■	.26	.17	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■			.22	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■		■	.22	.17	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■			.30	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■			.26	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■		■	.27	.23	.38
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■			.22	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■		■		■	.23	.23	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung			■		■		■		■			.28	.17	.32
Product Series 3275, WoodClad™, Ultra™ Double Hung			■		■		■		■			.28	.22	.37
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■			.29	.17	.33
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■		■	.30	.16	.29
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■			.26	.17	.33
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■		■	.26	.15	.29
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■			.23	.17	.33
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■		■	.23	.15	.29
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■			.30	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■		■	.30	.20	.34
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■			.26	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■		■	.27	.20	.34
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■			.23	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■		■		■	.24	.20	.34

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■		■		■	■		.28	.17	.32
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■		■		■	■	■	.29	.15	.28
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■			■	■	■		.25	.17	.32
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■			■	■	■		.25	.15	.28
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■		■		■	■		.29	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■		■		■	■		.29	.20	.34
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■			■	■	■		.25	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■			■	■	■		.26	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro			■		■			■	■	■		.28	.17	.32
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro			■		■			■	■	■		.28	.22	.37
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■						■		■	■		.30	.17	.33
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■						■		■	■		.30	.16	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■						■		■	■		.26	.17	.33
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■						■		■	■		.27	.16	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■						■		■	■		.23	.17	.33
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■						■		■	■		.24	.15	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■		■		■	■		.30	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■		■		■	■		.30	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■		■		■	■		.27	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■		■		■	■		.27	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■		■		■	■		.24	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■		■		■	■		.24	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.29	.17	.32
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.29	.16	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.25	.17	.32
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.26	.15	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.29	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.30	.20	.33
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.25	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■		■		■	■		.26	.20	.33
Product Series 3310, WoodClad™, Ultra™ Picture Window			■		■		■		■	■		.28	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window			■		■		■		■	■		.23	.20	.38

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3310, WoodClad™, Ultra™ Picture Window			■	■			■		■			.28	.26	.44
Product Series 3310, WoodClad™, Ultra™ Picture Window			■	■				■	■			.23	.26	.44
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■			.25	.20	.39
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■		■	.26	.18	.35
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■			.21	.20	.39
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■		■	.22	.18	.35
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■			.17	.20	.39
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■		■	.18	.18	.35
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■			.25	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■		■	.26	.24	.41
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■			.22	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■		■	.22	.24	.41
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■			.18	.26	.46
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■		■	.18	.24	.41
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■			.28	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■		■	.29	.18	.34
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■			.24	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■		■	.25	.18	.34
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■			.19	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■		■	.20	.18	.34
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■			.29	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■		■	.30	.24	.40
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■			.24	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■		■	.25	.24	.40
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■			.20	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■		■	.20	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window			■		■		■		■			.28	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window			■		■		■		■			.23	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window			■		■		■		■			.29	.26	.44
Product Series 3315, WoodClad™, Ultra™ Picture Window			■		■		■		■			.24	.25	.44
Product Series 3315, WoodClad™, Ultra™ Picture Window	■				■		■		■			.26	.20	.39
Product Series 3315, WoodClad™, Ultra™ Picture Window	■				■		■		■		■	.27	.18	.35

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■		■			■	■		.22	.20	.39
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■		■			■		■	.22	.18	.35
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■				■	■	■		.18	.20	.39
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■				■	■		■	.19	.18	.35
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■		■			■	■		.26	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■		■		■	.27	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■		■	■		.22	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■		■		■	.23	.24	.41
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■				■	■	■		.19	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■				■	■		■	.19	.24	.41
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■	■		.29	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■		■	.30	.18	.34
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■		■	.24	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■		■	.25	.18	.34
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■				■	■	■		.20	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■				■	■		■	.21	.18	.34
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■	■		.29	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■		■	.30	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■	■		.25	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■		■			■		■	.26	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■				■	■	■		.20	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■				■	■		■	.21	.24	.40
Product Series 3371, WoodClad™, Ultra™ Picture Window			■	■		■			■	■		.27	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window			■	■		■			■	■		.22	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window			■	■		■			■	■		.28	.26	.44
Product Series 3371, WoodClad™, Ultra™ Picture Window			■	■		■			■	■		.23	.26	.44
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■	■		.25	.20	.39
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■		■	.25	.19	.35
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■	■		.21	.20	.39
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■		■	.21	.18	.35
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■	■		.17	.20	.39
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■		■	.18	.18	.35

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■	■		.25	.26	.46
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■		■			■		■	.26	.24	.41
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■			■		■	■		.21	.26	.46
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■			■		■		■	.22	.24	.41
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■				■	■	■		.18	.26	.46
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■				■	■		■	.18	.24	.41
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■	■			■	■		.28	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■	■			■		■	.29	.19	.34
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■		■	■		.23	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■		■		■	.24	.18	.34
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■			■	■	■		.19	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■			■	■		■	.20	.18	.34
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■		■	■		.28	.26	.45
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■		■	■		.29	.24	.40
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■			■	■	■		.24	.26	.45
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■		■	■		.25	.24	.41
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■			■	■	■		.20	.26	.45
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■			■	■	■		.20	.24	.41
Product Series 3410, WoodClad™, Ultra™ Awning			■		■		■		■	■		.30	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning			■		■			■	■	■		.26	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning			■	■				■	■	■		.26	.23	.39
Product Series 3410, WoodClad™, Ultra™ Awning	■				■	■			■	■		.28	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning	■				■	■			■		■	.28	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■		■	■		.24	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■		■		■	.25	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning	■				■			■	■	■		.21	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■		■		■	.21	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■		■	■		.28	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■		■		■	.28	.22	.37
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■		■	■		.25	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning	■				■			■	■		■	.25	.22	.37
Product Series 3410, WoodClad™, Ultra™ Awning	■				■			■	■	■		.22	.24	.41

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3410, WoodClad™, Ultra™ Awning	■			■				■	■		■	.22	.22	.37
Product Series 3410, WoodClad™, Ultra™ Awning		■			■			■	■	■		.27	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning									■		■	.27	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning								■	■		■	.23	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning								■	■		■	.23	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning				■				■	■		■	.27	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning				■				■	■		■	.28	.22	.36
Product Series 3410, WoodClad™, Ultra™ Awning				■				■	■		■	.23	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning				■				■	■		■	.24	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement			■		■			■	■		■	.30	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement					■			■	■		■	.26	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement					■			■	■		■	.30	.23	.39
Product Series 3510, WoodClad™, Ultra™ Casement					■			■	■		■	.26	.23	.39
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■		■	.28	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■		■	.28	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.24	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.25	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.21	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.21	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.21	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.28	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.28	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.24	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.25	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.21	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.22	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.30	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.27	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.27	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.23	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.23	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.27	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement	■				■			■	■		■	.27	.22	.36

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3510, WoodClad™, Ultra™ Casement		■		■				■	■			.23	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement		■		■				■	■		■	.24	.22	.36
Product Series 3622, WoodClad™, Ultra™ Inswing Door			■	■	■			■	■			.29	.15	.27
Product Series 3622, WoodClad™, Ultra™ Inswing Door			■	■				■	■			.30	.19	.31
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■			.28	.15	.28
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■		■	.29	.14	.24
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■			.26	.15	.28
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■		■	.26	.14	.24
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■			.29	.20	.32
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■		■	.29	.17	.28
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■			.30	.15	.27
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■		■	.27	.15	.27
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■		■	.28	.14	.23
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■			.30	.20	.32
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■			.27	.20	.32
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■			■				■	■		■	.28	.17	.28
Product Series 3623, WoodClad™, Ultra™ Outswing Door			■	■	■			■	■			.29	.15	.27
Product Series 3623, WoodClad™, Ultra™ Outswing Door			■	■				■	■			.30	.19	.31
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■			.28	.15	.28
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■		■	.29	.14	.24
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■			.26	.15	.28
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■		■	.26	.14	.24
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■			.29	.20	.32
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■		■	.29	.17	.28
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■			.30	.15	.27
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■		■	.27	.15	.27
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■		■	.28	.13	.23
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■			.30	.20	.32
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■			.27	.20	.32
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■				■	■		■	.28	.17	.28
Product Series 3626, WoodClad™, Ultra™ French Sliding Door			■	■	■			■	■			.30	.16	.29
Product Series 3626, WoodClad™, Ultra™ French Sliding Door			■	■				■	■			.30	.21	.33

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■		■			■	■		.29	.16	.29
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■		■			■	■	■	.29	.15	.25
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■				■	■	■		.26	.16	.29
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■				■	■	■		.26	.15	.25
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■		■			■	■		.29	.21	.34
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■		■			■	■	■	.29	.19	.30
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■				■	■	■		.26	.21	.35
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■				■	■	■		.26	.19	.30
Product Series 3626, WoodClad™, Ultra™ French Sliding Door		■		■				■	■	■		.27	.16	.29
Product Series 3626, WoodClad™, Ultra™ French Sliding Door		■		■				■	■	■	■	.28	.14	.25
Product Series 3626, WoodClad™, Ultra™ French Sliding Door		■		■				■	■	■		.28	.21	.34
Product Series 3626, WoodClad™, Ultra™ French Sliding Door		■		■				■	■	■	■	.28	.19	.29
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)			■	■				■	■	■		.30	.14	.26
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■		.29	.14	.27
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■	■	.30	.13	.23
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■		.27	.14	.27
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■	■	.27	.13	.23
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■		.30	.19	.31
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■	■	.30	.16	.27
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■		.27	.19	.31
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■				■	■	■	■	.28	.16	.27
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)		■		■				■	■	■		.28	.14	.26
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)		■		■				■	■	■	■	.30	.13	.23
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)		■		■				■	■	■		.29	.19	.31
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)		■		■				■	■	■	■	.29	.16	.26
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)			■	■				■	■	■		.29	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)			■	■				■	■	■		.24	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)			■	■				■	■	■		.29	.23	.39
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)			■	■				■	■	■		.25	.23	.39
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■		■			■	■		.26	.18	.35
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■		■			■	■	■	.27	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■		■			■	■		.23	.18	.35

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■		■			■		■	.23	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■				■	■	■		.20	.18	.35
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■				■				■		■	.20	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■		■			■		■	.27	.23	.41
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■		■			■		■	.27	.21	.37
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■				■	■		■	.23	.23	.41
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■				■	■		■	.23	.21	.37
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■				■	■		■	.20	.23	.41
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■				■	■		■	.20	.21	.37
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.29	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.30	.17	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.25	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.26	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■				■	■		■	.21	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■				■	■		■	.22	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.30	.23	.40
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.30	.21	.36
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.26	.23	.40
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■		■			■		■	.26	.21	.36
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■				■	■		■	.22	.23	.40
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■	■		■				■	■		■	.22	.21	.36
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)			■		■			■	■		■	.29	.14	.26
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)			■		■			■	■		■	.29	.18	.30
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■	■			■		■	.30	.14	.27
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■	■			■		■	.30	.13	.24
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.27	.14	.27
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.28	.13	.24
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.25	.14	.27
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.25	.13	.24
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.28	.18	.31
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.28	.17	.28
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■			■	■		■	.25	.18	.31

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■			■				■	■		■	.25	.17	.28
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■			■			■	■		■	.29	.14	.26
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)					■				■		■	.30	.13	.23
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■			■			■	■		■	.26	.14	.26
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)					■			■	■		■	.27	.13	.23
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■			■			■	■		■	.30	.18	.31
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)					■			■	■		■	.30	.17	.28
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■			■			■	■		■	.27	.18	.31
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)					■			■	■		■	.27	.16	.28
Product Series 3710, WoodClad™, Ultra™ Radius Fixed			■		■				■		■	.26	.22	.41
Product Series 3710, WoodClad™, Ultra™ Radius Fixed					■				■		■	.26	.28	.48
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.29	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.29	.20	.38
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.24	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.25	.20	.38
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.20	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed					■				■		■	.21	.20	.38
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.29	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.30	.26	.44
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.25	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.25	.26	.44
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.21	.28	.50
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■				■		■	.21	.26	.45
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■				■		■	.27	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed					■				■		■	.28	.20	.37
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■				■		■	.22	.21	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed					■				■		■	.23	.20	.37
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■				■		■	.28	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed					■				■		■	.28	.26	.44
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■				■		■	.23	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed					■				■		■	.23	.26	.44
Product Series 4235, Tuscany™ Double Hung Tilt	■				■				■		■	.26	.23	.40

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 4235, Tuscany™ Double Hung Tilt	■			■				■			■	.27	.21	.35
Product Series 4235, Tuscany™ Double Hung Tilt	■			■				■	■		■	.23	.23	.40
Product Series 4235, Tuscany™ Double Hung Tilt	■			■				■			■	.23	.21	.35
Product Series 4235, Tuscany™ Double Hung Tilt		■		■				■			■	.30	.23	.39
Product Series 4235, Tuscany™ Double Hung Tilt		■		■				■			■	.30	.21	.35
Product Series 4235, Tuscany™ Double Hung Tilt		■		■				■			■	.25	.23	.39
Product Series 4235, Tuscany™ Double Hung Tilt		■		■				■			■	.25	.21	.35
Product Series 4255, Tuscany™ Double Hung Tilt	■			■				■			■	.26	.23	.40
Product Series 4255, Tuscany™ Double Hung Tilt	■			■				■			■	.27	.21	.35
Product Series 4255, Tuscany™ Double Hung Tilt	■			■				■			■	.23	.23	.40
Product Series 4255, Tuscany™ Double Hung Tilt	■			■				■			■	.23	.21	.35
Product Series 4255, Tuscany™ Double Hung Tilt		■		■				■			■	.30	.23	.39
Product Series 4255, Tuscany™ Double Hung Tilt		■		■				■			■	.30	.21	.35
Product Series 4255, Tuscany™ Double Hung Tilt		■		■				■			■	.25	.23	.39
Product Series 4255, Tuscany™ Double Hung Tilt		■		■				■			■	.25	.21	.35
Product Series 4355, Tuscany™ Picture Window	■			■				■			■	.18	.27	.47
Product Series 4355, Tuscany™ Picture Window	■			■				■			■	.21	.24	.42
Product Series 4355, Tuscany™ Picture Window	■			■				■			■	.15	.27	.47
Product Series 4355, Tuscany™ Picture Window	■			■				■			■	.17	.24	.42
Product Series 4355, Tuscany™ Picture Window		■		■				■			■	.20	.27	.46
Product Series 4355, Tuscany™ Picture Window		■		■				■			■	.20	.24	.42
Product Series 4355, Tuscany™ Picture Window		■		■				■			■	.16	.27	.46
Product Series 4355, Tuscany™ Picture Window		■		■				■			■	.16	.24	.42
Product Series 4455, Tuscany™ Awning	■			■				■			■	.19	.21	.36
Product Series 4455, Tuscany™ Awning	■			■				■			■	.19	.19	.33
Product Series 4455, Tuscany™ Awning	■			■				■			■	.17	.21	.36
Product Series 4455, Tuscany™ Awning	■			■				■			■	.19	.19	.33
Product Series 4455, Tuscany™ Awning		■		■				■			■	.21	.21	.36
Product Series 4455, Tuscany™ Awning		■		■				■			■	.21	.19	.32
Product Series 4455, Tuscany™ Awning		■		■				■			■	.18	.21	.36
Product Series 4455, Tuscany™ Awning		■		■				■			■	.20	.19	.32
Product Series 4555, Tuscany™ Casement	■			■				■			■	.20	.21	.36

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 4555, Tuscany™ Casement	■			■			■		■		■	.20	.19	.33
Product Series 4555, Tuscany™ Casement	■			■				■	■	■		.17	.21	.36
Product Series 4555, Tuscany™ Casement	■			■					■		■	.17	.19	.33
Product Series 4555, Tuscany™ Casement		■		■			■		■			.21	.21	.36
Product Series 4555, Tuscany™ Casement		■		■					■		■	.21	.19	.32
Product Series 4555, Tuscany™ Casement		■		■					■		■	.18	.21	.36
Product Series 4555, Tuscany™ Casement		■		■					■		■	.18	.19	.32
Product Series 5622, Classic™ Sliding Door			■		■	■			■			.30	.19	.36
Product Series 5622, Classic™ Sliding Door			■		■		■		■			.26	.19	.36
Product Series 5622, Classic™ Sliding Door			■		■			■	■		■	.27	.17	.31
Product Series 5622, Classic™ Sliding Door			■		■			■	■			.23	.19	.36
Product Series 5622, Classic™ Sliding Door			■		■			■	■		■	.23	.17	.31
Product Series 5622, Classic™ Sliding Door			■	■		■			■			.30	.24	.41
Product Series 5622, Classic™ Sliding Door			■	■			■		■			.27	.24	.41
Product Series 5622, Classic™ Sliding Door			■	■				■	■		■	.27	.22	.36
Product Series 5622, Classic™ Sliding Door			■	■				■	■			.23	.24	.41
Product Series 5622, Classic™ Sliding Door			■	■				■	■		■	.24	.21	.36
Product Series 5622, Classic™ Sliding Door	■				■	■			■			.26	.19	.37
Product Series 5622, Classic™ Sliding Door	■				■	■			■		■	.27	.17	.32
Product Series 5622, Classic™ Sliding Door	■				■		■		■			.23	.19	.37
Product Series 5622, Classic™ Sliding Door	■				■			■	■		■	.23	.17	.32
Product Series 5622, Classic™ Sliding Door	■				■			■	■			.20	.19	.37
Product Series 5622, Classic™ Sliding Door	■				■			■	■		■	.21	.17	.32
Product Series 5622, Classic™ Sliding Door	■				■	■			■			.27	.25	.43
Product Series 5622, Classic™ Sliding Door	■				■		■		■		■	.27	.22	.38
Product Series 5622, Classic™ Sliding Door	■				■			■	■			.23	.25	.43
Product Series 5622, Classic™ Sliding Door	■				■			■	■		■	.24	.22	.38
Product Series 5622, Classic™ Sliding Door	■				■			■	■			.21	.25	.43
Product Series 5622, Classic™ Sliding Door	■				■			■	■		■	.21	.22	.38
Product Series 5622, Classic™ Sliding Door		■			■	■			■			.27	.19	.36
Product Series 5622, Classic™ Sliding Door		■			■	■			■		■	.30	.17	.32
Product Series 5622, Classic™ Sliding Door		■			■	■			■		■	.24	.19	.36

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 5622, Classic™ Sliding Door		■			■		■		■		■	.25	.17	.32
Product Series 5622, Classic™ Sliding Door		■			■			■	■	■		.21	.19	.36
Product Series 5622, Classic™ Sliding Door		■			■				■		■	.22	.17	.32
Product Series 5622, Classic™ Sliding Door		■		■		■			■	■		.28	.25	.42
Product Series 5622, Classic™ Sliding Door		■		■		■			■		■	.28	.22	.37
Product Series 5622, Classic™ Sliding Door		■		■			■		■	■		.24	.25	.42
Product Series 5622, Classic™ Sliding Door		■		■			■		■		■	.25	.22	.37
Product Series 5622, Classic™ Sliding Door		■		■				■	■	■		.21	.25	.42
Product Series 5622, Classic™ Sliding Door		■		■				■	■		■	.23	.22	.37
Product Series 5655, Classic™ Sliding Door			■		■	■			■	■		.30	.19	.36
Product Series 5655, Classic™ Sliding Door			■		■	■			■		■	.30	.17	.31
Product Series 5655, Classic™ Sliding Door			■		■		■		■	■		.26	.19	.36
Product Series 5655, Classic™ Sliding Door			■		■		■		■		■	.27	.17	.31
Product Series 5655, Classic™ Sliding Door			■		■			■	■	■		.23	.19	.36
Product Series 5655, Classic™ Sliding Door			■		■			■	■		■	.23	.17	.31
Product Series 5655, Classic™ Sliding Door			■	■		■			■	■		.30	.24	.41
Product Series 5655, Classic™ Sliding Door			■	■			■		■	■		.26	.24	.41
Product Series 5655, Classic™ Sliding Door			■	■			■		■		■	.27	.22	.36
Product Series 5655, Classic™ Sliding Door			■	■				■	■	■		.23	.24	.41
Product Series 5655, Classic™ Sliding Door			■	■				■	■		■	.23	.21	.36
Product Series 5655, Classic™ Sliding Door	■				■	■			■	■		.26	.19	.37
Product Series 5655, Classic™ Sliding Door	■				■	■			■		■	.26	.17	.32
Product Series 5655, Classic™ Sliding Door	■				■		■		■	■		.23	.19	.37
Product Series 5655, Classic™ Sliding Door	■				■		■		■		■	.23	.17	.32
Product Series 5655, Classic™ Sliding Door	■				■			■	■	■		.20	.19	.37
Product Series 5655, Classic™ Sliding Door	■				■			■	■		■	.20	.17	.32
Product Series 5655, Classic™ Sliding Door	■			■		■			■	■		.26	.25	.43
Product Series 5655, Classic™ Sliding Door	■			■		■			■		■	.27	.22	.38
Product Series 5655, Classic™ Sliding Door	■			■			■		■	■		.23	.25	.43
Product Series 5655, Classic™ Sliding Door	■			■			■		■		■	.24	.22	.38
Product Series 5655, Classic™ Sliding Door	■			■				■	■	■		.21	.25	.43
Product Series 5655, Classic™ Sliding Door	■			■				■	■		■	.21	.22	.38

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS obscure, tempered, and glass size larger than 25 sq/ ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
Product Series 5655, Classic™ Sliding Door		■			■	■			■	■		.27	.19	.36
Product Series 5655, Classic™ Sliding Door		■			■	■			■		■	.29	.17	.32
Product Series 5655, Classic™ Sliding Door		■			■		■		■	■		.24	.19	.36
Product Series 5655, Classic™ Sliding Door		■			■		■		■		■	.24	.17	.32
Product Series 5655, Classic™ Sliding Door		■			■		■		■	■		.21	.19	.36
Product Series 5655, Classic™ Sliding Door		■			■		■		■		■	.21	.17	.32
Product Series 5655, Classic™ Sliding Door		■		■	■		■		■	■		.27	.25	.42
Product Series 5655, Classic™ Sliding Door		■			■		■		■		■	.28	.22	.37
Product Series 5655, Classic™ Sliding Door		■			■		■		■	■		.24	.25	.42
Product Series 5655, Classic™ Sliding Door		■			■		■		■		■	.25	.22	.37
Product Series 5655, Classic™ Sliding Door		■			■		■		■	■		.21	.25	.42
Product Series 5655, Classic™ Sliding Door		■			■		■		■		■	.22	.22	.37
Product Series 5655F, Classic™ Sliding Door French Rail			■		■	■			■	■		.30	.17	.31
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■	■		.27	.17	.31
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■		■	.28	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■	■		.25	.16	.31
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■		■	.25	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■	■		.28	.21	.36
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■		■	.28	.19	.31
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■	■		.25	.21	.36
Product Series 5655F, Classic™ Sliding Door French Rail			■		■		■		■		■	.25	.18	.31
Product Series 5655F, Classic™ Sliding Door French Rail	■				■	■			■	■		.27	.17	.32
Product Series 5655F, Classic™ Sliding Door French Rail	■				■	■			■		■	.28	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■	■		.25	.16	.32
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■		■	.25	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■	■		.23	.16	.32
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■		■	.23	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail	■			■	■		■		■	■		.28	.22	.37
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■		■	.28	.19	.32
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■	■		.25	.22	.37
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■		■	.25	.19	.32
Product Series 5655F, Classic™ Sliding Door French Rail	■				■		■		■	■		.23	.21	.37

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010
Triple Glaze - East of Rockies

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	Krypton / Argon Mix	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	obscure, tempered, and glass size larger than 25 sq/ft	5/32" obscure glass											
Product Series 5655F, Classic™ Sliding Door French Rail	■			■				■	■		■	.23	.19	.32
Product Series 5655F, Classic™ Sliding Door French Rail		■			■		■		■	■		.28	.17	.31
Product Series 5655F, Classic™ Sliding Door French Rail							■		■		■	.30	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail								■	■		■	.26	.16	.31
Product Series 5655F, Classic™ Sliding Door French Rail									■		■	.26	.15	.27
Product Series 5655F, Classic™ Sliding Door French Rail									■		■	.23	.16	.31
Product Series 5655F, Classic™ Sliding Door French Rail									■		■	.24	.14	.27
Product Series 5655F, Classic™ Sliding Door French Rail				■					■		■	.29	.21	.36
Product Series 5655F, Classic™ Sliding Door French Rail				■					■		■	.29	.19	.32
Product Series 5655F, Classic™ Sliding Door French Rail				■					■		■	.26	.21	.36
Product Series 5655F, Classic™ Sliding Door French Rail				■					■		■	.26	.19	.32
Product Series 5655F, Classic™ Sliding Door French Rail				■					■		■	.24	.21	.36
Product Series 5655F, Classic™ Sliding Door French Rail				■					■		■	.25	.19	.32
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.30	.18	.34
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.26	.18	.34
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.26	.16	.30
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.30	.23	.40
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.26	.23	.40
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.27	.21	.35
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.22	.23	.40
Product Series 8155, Tuscany™ Double Slider	■				■				■		■	.23	.21	.35
Product Series 8155, Tuscany™ Double Slider		■			■				■		■	.29	.18	.33
Product Series 8155, Tuscany™ Double Slider			■		■				■		■	.29	.23	.39
Product Series 8155, Tuscany™ Double Slider				■	■				■		■	.25	.23	.39

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units.

Applicable for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin

Test data as of November 19, 2009. All data is subject to change without prior notification.

For the most information, call 1.800.MILGARD or visit milgard.com.