



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	tempered, and glass size larger than 25 sq/ft	5/32" obscure glass										
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider			■		■		■	■	■		.30	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider			■	■			■	■	■		.30	.25	.42
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■	■	■		.27	.19	.37
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■	■		■	.28	.18	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■	■		■	.23	.19	.37
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■				■		■	■		■	.24	.17	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■	■		■	.28	.25	.43
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■	■		■	.28	.23	.39
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■	■		■	.24	.25	.44
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider	■			■			■	■		■	.24	.23	.39
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■	■		■	.30	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■	■		■	.26	.19	.36
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■	■		■	.27	.17	.33
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■	■		■	.26	.25	.43
Product Series 3110, WoodClad™, Ultra™ Horizontal Slider		■			■		■	■		■	.27	.23	.38
Product Series 3210, WoodClad™, Ultra™ Single Hung			■		■		■	■		■	.30	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung			■	■			■	■		■	.30	.25	.42
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■	■		■	.27	.19	.37
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■	■		■	.27	.18	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■	■		■	.23	.19	.37
Product Series 3210, WoodClad™, Ultra™ Single Hung	■				■		■	■		■	.24	.17	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung	■			■			■	■		■	.27	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung	■			■			■	■		■	.28	.23	.39
Product Series 3210, WoodClad™, Ultra™ Single Hung	■			■			■	■		■	.24	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung	■			■			■	■		■	.24	.23	.39
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■	■		■	.30	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■	■		■	.26	.19	.36
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■	■		■	.26	.17	.33
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■	■		■	.30	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■	■		■	.26	.25	.43
Product Series 3210, WoodClad™, Ultra™ Single Hung		■			■		■	■		■	.27	.23	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■	■		■	.29	.17	.33
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■	■		■	.30	.16	.29
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■	■		■	.26	.17	.33
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■	■		■	.26	.15	.29
Product Series 3275, WoodClad™, Ultra™ Double Hung	■				■		■	■		■	.30	.22	.38

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGuardMAX™	No Grids	Flat Grids			
Product Series 3275, WoodClad™, Ultra™ Double Hung	■			■		■		■		■	.30	.20	.34
Product Series 3275, WoodClad™, Ultra™ Double Hung	■			■				■	■		.26	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung	■			■				■		■	.27	.20	.34
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■			■		■	.28	.17	.32
Product Series 3275, WoodClad™, Ultra™ Double Hung		■			■			■		■	.29	.15	.28
Product Series 3275, WoodClad™, Ultra™ Double Hung		■		■				■		■	.29	.22	.38
Product Series 3275, WoodClad™, Ultra™ Double Hung		■		■				■		■	.29	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■	■			■		.30	.17	.33
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■				■	■			■		.30	.16	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■			■		■			■		.30	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■			■		■			■		.30	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■			■			■		■		.27	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro	■			■			■		■		.27	.20	.34
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■			■		■	.29	.17	.32
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■			■			■		■	.29	.16	.29
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■		■				■		■	.29	.22	.38
Product Series 3285, WoodClad™, Ultra™ Double Hung Retro		■		■				■		■	.30	.20	.33
Product Series 3310, WoodClad™, Ultra™ Picture Window			■		■			■		■	.28	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window			■		■			■		■	.28	.26	.44
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■	■			■		.25	.20	.39
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■	■			■		.26	.18	.35
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■		.21	.20	.39
Product Series 3310, WoodClad™, Ultra™ Picture Window	■				■		■		■		.22	.18	.35
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■		■			■		.25	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■		■			■		.26	.24	.41
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■		.22	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window	■			■			■		■		.22	.24	.41
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■	■			■		.28	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■	■			■		.29	.18	.34
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■		.24	.20	.38
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■		.25	.18	.34
Product Series 3310, WoodClad™, Ultra™ Picture Window		■			■		■		■		.29	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■		.30	.24	.40
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■		.24	.26	.45
Product Series 3310, WoodClad™, Ultra™ Picture Window		■		■			■		■		.25	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window			■		■			■		■	.28	.20	.38

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS	DS	T5	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGuardMAX™	No Grids	Flat Grids			
	glass size 25 sq/ft and smaller	tempered, and glass size larger than 25 sq/ft	5/32" obscure glass										
Product Series 3315, WoodClad™, Ultra™ Picture Window			■	■			■	■	■		.29	.26	.44
Product Series 3315, WoodClad™, Ultra™ Picture Window	■				■		■	■	■	■	.26	.20	.39
Product Series 3315, WoodClad™, Ultra™ Picture Window	■				■		■	■		■	.27	.18	.35
Product Series 3315, WoodClad™, Ultra™ Picture Window	■				■		■	■	■		.22	.20	.39
Product Series 3315, WoodClad™, Ultra™ Picture Window	■				■		■	■		■	.22	.18	.35
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.26	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.27	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.22	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.23	.24	.41
Product Series 3315, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.29	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.30	.18	.34
Product Series 3315, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.24	.20	.38
Product Series 3315, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.25	.18	.34
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■			■	■		■	.29	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■			■	■		■	.30	.24	.40
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■			■	■		■	.25	.26	.45
Product Series 3315, WoodClad™, Ultra™ Picture Window		■		■			■	■		■	.26	.24	.40
Product Series 3371, WoodClad™, Ultra™ Picture Window			■		■		■	■		■	.27	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window			■		■		■	■		■	.28	.26	.44
Product Series 3371, WoodClad™, Ultra™ Picture Window	■				■		■	■		■	.25	.20	.39
Product Series 3371, WoodClad™, Ultra™ Picture Window	■				■		■	■		■	.25	.19	.35
Product Series 3371, WoodClad™, Ultra™ Picture Window	■				■		■	■		■	.21	.20	.39
Product Series 3371, WoodClad™, Ultra™ Picture Window	■				■		■	■		■	.21	.18	.35
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.25	.26	.46
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.26	.24	.41
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.21	.26	.46
Product Series 3371, WoodClad™, Ultra™ Picture Window	■			■			■	■		■	.22	.24	.41
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.28	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.29	.19	.34
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.23	.20	.38
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.24	.18	.34
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.28	.26	.45
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.29	.24	.40
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.24	.26	.45
Product Series 3371, WoodClad™, Ultra™ Picture Window		■			■		■	■		■	.25	.24	.41
Product Series 3410, WoodClad™, Ultra™ Awning			■		■		■	■		■	.30	.18	.34

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGuardMAX™	No Grids	Flat Grids			
Product Series 3410, WoodClad™, Ultra™ Awning	■				■	■		■	■		.28	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning	■				■	■		■	■	■	.28	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■	■	■		.24	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■	■	■	■	.25	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning	■				■	■		■	■		.28	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning	■				■			■	■	■	.28	.22	.37
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■	■	■		.25	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning	■				■		■	■	■	■	.25	.22	.37
Product Series 3410, WoodClad™, Ultra™ Awning		■			■		■	■	■		.27	.18	.34
Product Series 3410, WoodClad™, Ultra™ Awning		■			■		■	■	■	■	.27	.17	.31
Product Series 3410, WoodClad™, Ultra™ Awning		■			■		■	■	■		.27	.24	.40
Product Series 3410, WoodClad™, Ultra™ Awning		■			■		■	■	■	■	.28	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement			■		■		■	■	■		.30	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement			■		■		■	■	■		.30	.23	.39
Product Series 3510, WoodClad™, Ultra™ Casement	■				■	■		■	■		.28	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■	■	.28	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■		.24	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■	■	.25	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement	■				■	■		■	■		.28	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■	■	.28	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■		.24	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement	■				■		■	■	■	■	.25	.22	.36
Product Series 3510, WoodClad™, Ultra™ Casement		■			■	■		■	■		.30	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement		■			■		■	■	■		.27	.18	.34
Product Series 3510, WoodClad™, Ultra™ Casement		■			■		■	■	■	■	.27	.17	.31
Product Series 3510, WoodClad™, Ultra™ Casement		■			■		■	■	■		.27	.24	.40
Product Series 3510, WoodClad™, Ultra™ Casement		■			■		■	■	■	■	.27	.22	.36
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■				■		■	■	■		.28	.15	.28
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■				■		■	■	■	■	.29	.14	.24
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■				■		■	■	■		.29	.20	.32
Product Series 3622, WoodClad™, Ultra™ Inswing Door	■				■		■	■	■	■	.29	.17	.28
Product Series 3622, WoodClad™, Ultra™ Inswing Door		■			■	■		■	■		.30	.15	.27
Product Series 3622, WoodClad™, Ultra™ Inswing Door		■			■		■	■	■		.30	.20	.32
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■				■		■	■	■		.28	.15	.28
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■				■		■	■	■	■	.29	.14	.24
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■				■		■	■	■		.29	.20	.32

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGuardMAX™	No Grids	Flat Grids			
Product Series 3623, WoodClad™, Ultra™ Outswing Door	■			■			■	■		■	.29	.17	.28
Product Series 3623, WoodClad™, Ultra™ Outswing Door		■			■		■	■	■		.30	.15	.27
Product Series 3623, WoodClad™, Ultra™ Outswing Door			■	■			■	■		■	.30	.20	.32
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■				■		■	■		■	.29	.16	.29
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■				■		■	■		■	.29	.15	.25
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■			■	■		■	.29	.21	.34
Product Series 3626, WoodClad™, Ultra™ French Sliding Door	■			■			■	■		■	.29	.19	.30
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■				■		■	■		■	.29	.14	.27
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■			■	■		■	.30	.13	.23
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■			■	■		■	.30	.19	.31
Product Series 3642, WoodClad™, Ultra™ Inswing Door (New)	■			■			■	■		■	.30	.16	.27
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)			■		■		■	■		■	.29	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)			■	■			■	■		■	.29	.23	.39
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■				■		■	■		■	.26	.18	.35
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■				■		■	■		■	.27	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■				■		■	■		■	.23	.18	.35
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■				■		■	■		■	.23	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.27	.23	.41
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.27	.21	.37
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.23	.23	.41
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.23	.21	.37
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.29	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.30	.17	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.25	.18	.34
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.26	.16	.31
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.30	.23	.40
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.30	.21	.36
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.26	.23	.40
Product Series 3643, WoodClad™, Ultra™ Inswing Door Transom Only (Direct Glazed)	■			■			■	■		■	.26	.21	.36
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.30	.14	.27
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.30	.13	.24
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.27	.14	.27
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.28	.13	.24
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.28	.18	.31
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.28	.17	.28
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)	■				■		■	■		■	.29	.14	.26

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGuardMAX™	No Grids	Flat Grids			
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■			■		■	■		■	.30	.13	.23
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■		■			■	■	■		.30	.18	.31
Product Series 3644, WoodClad™, Ultra™ Inswing Door Transom Only (Panel Glazed)		■		■			■	■		■	.30	.17	.28
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■	■		■	■		.29	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■	■		■		■	.29	.20	.38
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■	■		■	■		.24	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■				■	■		■		■	.25	.20	.38
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■			■		■		■	■		.29	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■			■		■		■		■	.30	.26	.44
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■			■		■		■	■		.25	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed	■			■		■		■		■	.25	.26	.44
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■		■	■	■		.27	.22	.42
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■		■	■		■	.28	.20	.37
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■		■	■	■		.28	.28	.49
Product Series 3710, WoodClad™, Ultra™ Radius Fixed		■			■		■	■		■	.28	.26	.44
Product Series 5621, Classic™ Sliding Door			■		■	■		■	■		.30	.19	.36
Product Series 5621, Classic™ Sliding Door			■		■	■		■		■	.30	.17	.31
Product Series 5621, Classic™ Sliding Door			■		■		■	■	■		.26	.19	.36
Product Series 5621, Classic™ Sliding Door			■		■		■	■		■	.27	.17	.31
Product Series 5621, Classic™ Sliding Door			■	■		■		■	■		.30	.24	.41
Product Series 5621, Classic™ Sliding Door			■	■		■		■	■		.26	.24	.41
Product Series 5621, Classic™ Sliding Door			■	■		■		■		■	.27	.22	.36
Product Series 5621, Classic™ Sliding Door	■				■	■		■	■		.26	.19	.37
Product Series 5621, Classic™ Sliding Door	■				■	■		■		■	.26	.17	.32
Product Series 5621, Classic™ Sliding Door	■				■		■	■	■		.23	.19	.37
Product Series 5621, Classic™ Sliding Door	■				■		■	■		■	.23	.17	.32
Product Series 5621, Classic™ Sliding Door	■			■		■		■	■		.26	.25	.43
Product Series 5621, Classic™ Sliding Door	■			■		■		■		■	.27	.22	.38
Product Series 5621, Classic™ Sliding Door	■			■		■		■	■		.23	.25	.43
Product Series 5621, Classic™ Sliding Door		■			■		■	■		■	.24	.22	.38
Product Series 5621, Classic™ Sliding Door		■			■	■		■	■		.27	.19	.36
Product Series 5621, Classic™ Sliding Door		■			■	■		■		■	.29	.17	.32
Product Series 5621, Classic™ Sliding Door		■			■		■	■	■		.24	.19	.36
Product Series 5621, Classic™ Sliding Door		■			■		■	■		■	.24	.17	.32
Product Series 5621, Classic™ Sliding Door		■			■		■	■	■		.27	.25	.42
Product Series 5621, Classic™ Sliding Door		■			■		■	■		■	.28	.22	.37

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGardMAX™	No Grids	Flat Grids				
Product Series 5621, Classic™ Sliding Door		■		■			■	■	■	■		.24	.25	.42
Product Series 5621, Classic™ Sliding Door		■		■			■	■	■		■	.25	.22	.37
Product Series 5621F, Classic™ Sliding Door French Rail			■		■		■	■	■	■		.30	.17	.31
Product Series 5621F, Classic™ Sliding Door French Rail			■		■		■	■	■	■		.27	.17	.31
Product Series 5621F, Classic™ Sliding Door French Rail			■		■		■	■	■	■		.28	.15	.27
Product Series 5621F, Classic™ Sliding Door French Rail			■	■			■	■	■	■		.28	.21	.36
Product Series 5621F, Classic™ Sliding Door French Rail			■	■			■	■	■	■		.28	.19	.31
Product Series 5621F, Classic™ Sliding Door French Rail	■				■		■	■	■	■		.27	.17	.32
Product Series 5621F, Classic™ Sliding Door French Rail	■				■		■	■	■	■		.28	.15	.27
Product Series 5621F, Classic™ Sliding Door French Rail	■				■		■	■	■	■		.25	.16	.32
Product Series 5621F, Classic™ Sliding Door French Rail	■				■		■	■	■	■		.25	.15	.27
Product Series 5621F, Classic™ Sliding Door French Rail	■			■			■	■	■	■		.28	.22	.37
Product Series 5621F, Classic™ Sliding Door French Rail	■			■			■	■	■	■		.28	.19	.32
Product Series 5621F, Classic™ Sliding Door French Rail	■			■			■	■	■	■		.25	.22	.37
Product Series 5621F, Classic™ Sliding Door French Rail	■			■			■	■	■	■		.25	.19	.32
Product Series 5621F, Classic™ Sliding Door French Rail	■			■			■	■	■	■		.28	.17	.31
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.30	.15	.27
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.26	.16	.31
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.26	.15	.27
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.29	.21	.36
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.29	.19	.32
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.26	.21	.36
Product Series 5621F, Classic™ Sliding Door French Rail	■	■			■		■	■	■	■		.26	.19	.32
Product Series 5622, Classic™ Sliding Door			■		■		■	■	■	■		.30	.19	.36
Product Series 5622, Classic™ Sliding Door			■		■		■	■	■	■		.26	.19	.36
Product Series 5622, Classic™ Sliding Door			■		■		■	■	■	■		.27	.17	.31
Product Series 5622, Classic™ Sliding Door			■	■			■	■	■	■		.30	.24	.41
Product Series 5622, Classic™ Sliding Door			■	■			■	■	■	■		.27	.24	.41
Product Series 5622, Classic™ Sliding Door			■	■			■	■	■	■		.27	.22	.36
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.26	.19	.37
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.27	.17	.32
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.23	.19	.37
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.23	.17	.32
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.27	.25	.43
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.27	.22	.38
Product Series 5622, Classic™ Sliding Door	■				■		■	■	■	■		.23	.25	.43

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas			Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGardMAX™	No Grids	Flat Grids				
Product Series 5622, Classic™ Sliding Door	■			■			■	■		■	.24	.22	.38	
Product Series 5622, Classic™ Sliding Door		■			■		■	■		■	.27	.19	.36	
Product Series 5622, Classic™ Sliding Door		■			■		■	■		■	.30	.17	.32	
Product Series 5622, Classic™ Sliding Door		■			■		■	■		■	.24	.19	.36	
Product Series 5622, Classic™ Sliding Door		■			■		■	■		■	.25	.17	.32	
Product Series 5622, Classic™ Sliding Door		■		■			■	■		■	.28	.25	.42	
Product Series 5622, Classic™ Sliding Door		■		■			■	■		■	.28	.22	.37	
Product Series 5622, Classic™ Sliding Door		■		■			■	■		■	.24	.25	.42	
Product Series 5622, Classic™ Sliding Door		■		■			■	■		■	.25	.22	.37	
Product Series 8120T, Tuscany® Horizontal Slider			■		■		■	■		■	.29	.19	.34	
Product Series 8120T, Tuscany® Horizontal Slider			■	■			■	■		■	.29	.24	.40	
Product Series 8120T, Tuscany® Horizontal Slider	■				■		■	■		■	.27	.18	.35	
Product Series 8120T, Tuscany® Horizontal Slider	■				■		■	■		■	.27	.17	.31	
Product Series 8120T, Tuscany® Horizontal Slider	■				■		■	■		■	.23	.18	.35	
Product Series 8120T, Tuscany® Horizontal Slider	■				■		■	■		■	.23	.17	.31	
Product Series 8120T, Tuscany® Horizontal Slider	■			■			■	■		■	.27	.24	.41	
Product Series 8120T, Tuscany® Horizontal Slider	■			■			■	■		■	.27	.22	.37	
Product Series 8120T, Tuscany® Horizontal Slider	■			■			■	■		■	.23	.24	.41	
Product Series 8120T, Tuscany® Horizontal Slider	■			■			■	■		■	.24	.22	.37	
Product Series 8120T, Tuscany® Horizontal Slider		■			■		■	■		■	.30	.18	.35	
Product Series 8120T, Tuscany® Horizontal Slider		■			■		■	■		■	.30	.17	.31	
Product Series 8120T, Tuscany® Horizontal Slider		■			■		■	■		■	.25	.18	.35	
Product Series 8120T, Tuscany® Horizontal Slider		■			■		■	■		■	.26	.17	.31	
Product Series 8120T, Tuscany® Horizontal Slider		■		■			■	■		■	.30	.24	.41	
Product Series 8120T, Tuscany® Horizontal Slider		■		■			■	■		■	.26	.24	.41	
Product Series 8120T, Tuscany® Horizontal Slider		■		■			■	■		■	.27	.22	.36	
Product Series 8125T, Tuscany® Double Slider	■				■		■	■		■	.30	.18	.34	
Product Series 8125T, Tuscany® Double Slider	■				■		■	■		■	.26	.18	.34	
Product Series 8125T, Tuscany® Double Slider	■				■		■	■		■	.26	.16	.30	
Product Series 8125T, Tuscany® Double Slider	■			■			■	■		■	.30	.23	.40	
Product Series 8125T, Tuscany® Double Slider	■			■			■	■		■	.26	.23	.40	
Product Series 8125T, Tuscany® Double Slider	■			■			■	■		■	.27	.21	.35	
Product Series 8125T, Tuscany® Double Slider		■			■		■	■		■	.29	.18	.33	
Product Series 8125T, Tuscany® Double Slider		■			■		■	■		■	.29	.23	.39	
Product Series 8140T, Tuscany® Horizontal Slider			■		■		■	■		■	.29	.18	.34	
Product Series 8140T, Tuscany® Horizontal Slider			■	■			■	■		■	.29	.23	.39	

*In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.*

*Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.*

*Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.*

Test data as of November 19, 2009. All data is subject to change without prior notification.  
For more information, call 1.800.MILGARD or visit milgard.com



Milgard Products that meet the Federal Energy Tax Credit Requirements 2009-2010  
Triple Glaze - West

Product Description	Glass Thickness			Low-E Glass		Inert Gas		Spacer	Grids Between Glass		U-Factor	SHGC	VLT
	SS glass size 25 sq/ft and smaller	DS tempered, and glass size larger than 25 sq/ft	T5 5/32" obscure glass	SunCoat®	SunCoatMAX®	Air	Argon	EdgeGardMAX™	No Grids	Flat Grids			
Product Series 8140T, Tuscany® Horizontal Slider	■				■	■		■	■		.27	.18	.35
Product Series 8140T, Tuscany® Horizontal Slider	■				■	■		■	■	■	.27	.17	.31
Product Series 8140T, Tuscany® Horizontal Slider	■				■		■	■	■	■	.23	.18	.35
Product Series 8140T, Tuscany® Horizontal Slider	■				■		■	■	■	■	.23	.16	.31
Product Series 8140T, Tuscany® Horizontal Slider	■				■		■	■	■	■	.27	.24	.41
Product Series 8140T, Tuscany® Horizontal Slider	■				■		■	■	■	■	.27	.21	.36
Product Series 8140T, Tuscany® Horizontal Slider	■				■		■	■	■	■	.23	.24	.41
Product Series 8140T, Tuscany® Horizontal Slider	■				■		■	■	■	■	.24	.21	.36
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.29	.18	.34
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.30	.17	.30
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.25	.18	.34
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.26	.16	.30
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.29	.24	.40
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.30	.21	.36
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.26	.24	.40
Product Series 8140T, Tuscany® Horizontal Slider		■			■		■	■	■	■	.27	.21	.36
Product Series 8220T, Tuscany® Single Hung			■		■		■	■	■	■	.29	.19	.34
Product Series 8220T, Tuscany® Single Hung			■		■		■	■	■	■	.29	.24	.40
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.26	.18	.35
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.27	.17	.31
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.23	.18	.35
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.23	.17	.31
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.27	.24	.41
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.27	.22	.37
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.23	.24	.41
Product Series 8220T, Tuscany® Single Hung	■				■		■	■	■	■	.24	.22	.37
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.29	.18	.35
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.30	.17	.31
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.25	.18	.35
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.26	.17	.31
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.30	.24	.41
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.26	.24	.41
Product Series 8220T, Tuscany® Single Hung		■			■		■	■	■	■	.27	.22	.36
Product Series 8225T, Tuscany® Double Hung Tilt	■				■		■	■	■	■	.30	.18	.34
Product Series 8225T, Tuscany® Double Hung Tilt	■				■		■	■	■	■	.26	.18	.34
Product Series 8225T, Tuscany® Double Hung Tilt	■				■		■	■	■	■	.27	.16	.31

In some cases, glass substitutions may be made by the Milgard manufacturing facility which could impact the SHGC slightly.

Products which are shipped to or over altitudes higher than the elevation of manufacture may require capillary tubes to relieve pressure in the insulated glass units. These products do not qualify for the 3D MAX™ Energy Package.

Please reference the East of the Rockies Thermal Data charts for products sold only in Iowa, Illinois, Indiana, Maryland, Michigan, Minnesota, Ohio, Virginia and Wisconsin.

Test data as of November 19, 2009. All data is subject to change without prior notification. For more information, call 1.800.MILGARD or visit milgard.com









